

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance: regarding to independent claim 77, the prior art of record fail to disclose or render obvious that the signal includes at least one preamble pulse (P) during a pre- synchronization cycle followed by at least a data command signal, wherein the receiver is activated according to a series of wake-up events in such a way that, during the whole duration of a pre-synchronization cycle, the receiver is at least activated during two activation periods and at most two activation periods occur during one and a same preamble pulse.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

2. Claims 1-12, 69, 74-79 are directed to an allowable species with an allowable generic claim 77. Claims 13-68, 70-73 are previously withdrawn from consideration as a result of a restriction requirement, they are hereby rejoined and fully examined for patentability under 37 CFR 1.104.

Because all claims previously withdrawn from consideration under 37 CFR 1.142 have been rejoined, **the restriction requirement as set forth in the Office action mailed on 11/30/2009 is hereby withdrawn.** In view of the withdrawal of the restriction requirement as to the rejoined inventions, applicant(s) are advised that if any claim presented in a continuation or divisional application is anticipated by, or includes all the limitations of, a claim that is allowable in the present application, such claim may be

Art Unit: 2618

subject to provisional statutory and/or nonstatutory double patenting rejections over the claims of the instant application. Once the restriction requirement is withdrawn, the provisions of 35 U.S.C. 121 are no longer applicable. See *In re Ziegler*, 443 F.2d 1211, 1215, 170 USPQ 129, 131-32 (CCPA 1971). See also MPEP § 804.01.

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to NGUYEN VO whose telephone number is (571)272-7901. The examiner can normally be reached on M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward Urban can be reached on (571) 272-7899. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Nguyen Vo/
Primary Examiner, Art Unit 2618